




# Fixture Specification

MODEL #: **FG**  
STYLE / LAMP / LAMP / WATTAGE / KELVIN / BALLAST / FINISH / LENS / ACCESSORIES / SIZE / COMPLIANCE  
QTY TYPE DETAIL

PROJECT : \_\_\_\_\_ TYPE : \_\_\_\_\_ NOTE : \_\_\_\_\_



### Light Source

Type	Quad, Spiral or Triple			High Pressure Sodium	
Wattage	13	18	26	35	50
Quantity	1	1	1	1	1

### Standard Features

<b>BASE</b>	Cast Aluminum Mounts to Electric Box with Center Nipple and Finial	<b>FINISH</b>	Brushed Satin Aluminum	<b>LENS</b>	Smooth White Polycarbonate UV Stabilized Non Yellowing Threaded Neck Screws into Housing
<b>LISTING &amp; RATING</b>	UL Listed Wet Location	<b>LAMP</b>	Quad, Spiral, and Triple - 2700K	<b>ELECTRICAL/ HPS</b>	Magnetic Ballast 120V-60Hz AC
<b>ELECTRICAL/ FLUORESCENT</b>			Electronic Ballast Normal Power Factor 120V-60Hz AC		

### Special options

Please Note: Standard Features May Change if Fixtures are Ordered with Special Option(s).

<b>BALLAST</b>	<input type="checkbox"/> DV 120/277 <input type="checkbox"/> HPF High Power Factor <input type="checkbox"/> V 277 Volt	<b>FINISH</b>	<input type="checkbox"/> FB Black <input type="checkbox"/> FBZ Bronzitone	<b>LENS</b>	<input type="checkbox"/> CPA Clear Prismatic Acrylic
<b>KELVIN</b>	<input type="checkbox"/> 3500K <input type="checkbox"/> 4100K	<b>TECHNOLOGY</b>	<input type="checkbox"/> GU24 ( Energy Star Compliant Component ) <input type="checkbox"/> LED	<b>ACCESSORIES</b>	<input type="checkbox"/> IPC Internal Photocell
		<b>COMPLIANCE</b>	<input type="checkbox"/> ES Energy Star <input type="checkbox"/> MIA  Made In America		

For Additional Accessories and Options Visit [www.aslighting.com](http://www.aslighting.com)

ASL  
25 Twelfth Street  
Brooklyn, NY 11215-3820

Toll Free  
Phone: 800-369-1101  
Fax: 800-552-3465

Local  
Phone: 718-369-1100  
Fax: 718-369-1105

Online  
email: [info@aslighting.com](mailto:info@aslighting.com)  
visit: [www.aslighting.com](http://www.aslighting.com)



© copyright 2008 by American Scientific Lighting Corp. All rights reserved.

**FG**